

ATS US-3000

ULTRASONIC BANDING MACHINE

Are you looking for an industrial quality unitizing machine that is robust enough to function in a 24 hour per day, 7 day per week manufacturing environment? Do you need to unitize products with enough tension to maintain a proper bundle, yet gentle enough to prevent damaging the product as part of the packaging process?

The US-3000 ultrasonic banding machine is the industry leading banding (sometimes referred to as strap-ping) machine designed to function in large scale printing facilities, food processing plants, and even in the demanding environments of metal fabrication shops (and everything inbetween).



SUSTAINABILITY

At the heart of banding is the desire to package products in a sustainable manner. Banding uses a minimal amount of material to hold a variety of different types of products together. The ability to use paper banding instead of plastic films is another great sustainable feature of banding. In addition to reducing the amount of packaging material, banding also uses a minimal amount of energy when compared to alternative technologies such as shrink film which requires large amounts of energy to power a heat tunnel.

A FEW HIGHLIGHTS

- Heat Free Ultrasonic seal
- Intuitive operator control screen (in multiple languages)
- Standard and custom models available
- No compressed air required
- Diverse variety of banding materials available (plastic films and papers)
- Free training and technical support for life

“

WE NEEDED A WAY TO SECURE OUR MEDICAL PACKS THAT KEPT THEM CLEAN AND SECURE, AND WERE ALSO EASY FOR STAFF TO UNPACK WHEN NEEDED. THE BANDING SOLUTION FELINS GAVE US FIT ALL OUR CRITERIA. WE ARE VERY HAPPY WITH OUR CHOICE AND ARE LOOKING AT OTHER WAYS TO USE THIS TECHNOLOGY.

EQUIPMENT SPECIFICATIONS

ARCH SIZES

360mm (14") Wide x 260mm (10") Tall
260mm (10") Wide x 180mm (7") Tall
Custom Sizes Upon Request

FACILITY REQUIREMENTS

Standard 120V Outlet

SPEED

Up To 35+ Cycles Per Minute

WARRANTY

1 Year

TECHNICAL SUPPORT

Available Via Phone, Video Call, E-mail or In Person For The Life Of Machine



Transparent Bands Available

A FELINS PARTNERSHIP







At Felins, we pride ourselves on developing strong partnerships with our customers. From inquiry to installation and training to preventative maintenance services, we'll help you find a custom solution that best optimizes your operations and minimizes packaging waste.

After all, we're inspired to create innovative alternatives because every packaging decision should help, not hurt, our planet.



W204 N13055 GOLDENDALE ROAD
SUITE 400
RICHFIELD, WI 53076
(800) 843-5667 | FELINS.COM

QUESTIONS? QUOTE?
GIVE US A CALL!



Speed: up to 30 cycles / min dependent on products and infeed
 Pneum. connection: 6bar
 Electr. connection: 200-240 V ~ 50-60 Hz
 Color: S 1005-R90B/ S7020-R90B

Subject to change without notice

US-3000 AD Banding machine 30mm
 Teile Nr.: 650004

ATS
 Unique Banding

CH-6300 Zug
 Switzerland



Maßstab	Gezeichnet	RST	31.03.2023
1:8	Geprüft	YAM	13.03.2024
Status	Freigegeben		
Zachnungsnummer:	KL-65 225442	Index	A
Blatt 1 von 1		Format A2	